

**M E Y E R   S O U N D****Self-Powered Series Loudspeaker Systems**

M902904901	<b>MTS-4A TPL, IEC309, ring/stud, painted</b>	Arrayable, triple tuned, (1) 12", (1) 15" & (1) 18" cone, (1) 4" diaphragm horn driver, 70°H x 60°V32 Hz t16 kHz	€ 14.447,00	L. 27.974.000
M902903601	<b>MTS-4A RMS, IEC309, ring/stud, painted</b>	Arrayable, triple tuned, (1) 12", (1) 15" & (1) 18" cone, (1) 4" diaphragm horn driver, 70°H x 60°V32 Hz to 16 kHz	€ 14.906,00	L. 28.863.000
M902905001	<b>MTS-4A TPL, IEC309, ring/stud, carpeted</b>	Arrayable, triple tuned, (1) 12", (1) 15" & (1) 18" cone, (1) 4" diaphragm horn driver, 70°H x 60°V32 Hz to 16 kHz	€ 15.451,00	L. 29.918.000
M902904001	<b>MTS-4A RMS, IEC309, ring/stud, carpeted</b>	Arrayable, triple tuned, (1) 12", (1) 15" & (1) 18" cone, (1) 4" diaphragm horn driver, 70°H x 60°V32 Hz to 16 kHz	€ 15.909,00	L. 30.805.000
M904900101	<b>SB-1</b>	Parabolic Long Throw Sound Beam 4"Horn Loaded Compression driver 10°Hx10°V 500Hz-15kHz	€ 20.097,00	L. 38.914.000
M910800101	<b>SB-2 RMS, IEC309, CE, R&amp;S, Loop, LPS, RR</b>	Parabolic Wide Range Sound Beam 4"Horn Loaded Compression driver 10°Hx10°V 500Hz-15kHz	€ 15.488,00	L. 29.989.000
M905301901	<b>MSL-6 TPL, IEC309, ring/stud, painted</b>	Arrayable, all-horn, biamp'd, (2) 12" cone, (3) 4" diaphr hf driver, 30°H x 25°V, 65 Hz to 16 kHz	€ 27.605,00	L. 53.451.000
M905302001	<b>MSL-6 RMS, IEC309, ring/stud, painted</b>	Arrayable, all-horn, biamp'd, (2) 12" cone, (3) 4" diaphr hf driver, 30°H x 25°V, 65 Hz to 16 kHz	€ 28.064,00	L. 54.340.000
M905300901	<b>MSL-6 TPL, IEC309, ring/stud, carpeted</b>	Arrayable, all-horn, biamp'd, (2) 12" cone, (3) 4" diaphr hf driver, 30°H x 25°V, 65 Hz to 16 kHz	€ 28.807,00	L. 55.779.000
M905301001	<b>MSL-6 RMS, IEC309, ring/stud, carpeted</b>	Arrayable, all-horn, biamp'd, (2) 12" cone, (3) 4" diaphr hf driver, 30°H x 25°V, 65 Hz to 16 kHz	€ 29.266,00	L. 56.667.000
M907300501	<b>PSW-6 TPL, IEC309, ring/stud, painted</b>	Horn Loaded Medium-Q Main Loudspeaker. Arrayable with pivoting lift ringsTPL, IEC309, ring/stud, painted	€ 20.097,00	L. 38.914.000
M907300301	<b>PSW-6 RMS, IEC309, ring/stud, painted</b>	Horn Loaded Medium-Q Main Loudspeaker. RMS, IEC309, ring/stud, painted	€ 32.946,00	L. 63.793.000
M907300901	<b>PSW-6 TPL, IEC309, ring/stud, carpeted</b>	Horn Loaded Medium-Q Main Loudspeaker. TPL, IEC309, ring/stud, carpeted	€ 21.299,00	L. 41.241.000
M907300701	<b>PSW-6 RMS, IEC309, ring/stud, carpeted</b>	Horn Loaded Medium-Q Main Loudspeaker. RMS, IEC309, ring/stud, carpeted	€ 21.757,00	L. 42.128.000
M903106901	<b>MSL-4 TPL, IEC309, ring/stud, painted</b>	Arrayable, reflex horn, (1) 12" cone, (1) 4" diaphragm horn driver, 40°H x 35°V, 65 Hz to 18 kHz	€ 11.102,00	L. 21.497.000
M903104701	<b>MSL-4 RMS, IEC309, ring/stud, painted</b>	Arrayable, reflex horn, (1) 12" cone, (1) 4" diaphragm horn driver, 40°H x 35°V, 65 Hz to 18 kHz	€ 11.560,00	L. 22.384.000
M903107001	<b>MSL-4 TPL, IEC309, ring/stud, carpeted</b>	Arrayable, reflex horn, (1) 12" cone, (1) 4" diaphragm horn driver, 40°H x 35°V, 65 Hz to 18 kHz	€ 11.560,00	L. 22.384.000
M903105601	<b>MSL-4 RMS, IEC309, ring/stud, carpeted</b>	Arrayable, reflex horn, (1) 12" cone, (1) 4" diaphragm horn driver, 40°H x 35°V, 65 Hz to 18 kHz	€ 12.019,00	L. 23.273.000
M903107002	<b>MSL-4 TPL, IEC309, L-Track, painted</b>	Arrayable, reflex horn, (1) 12" cone, (1) 4" diaphragm horn driver, 40°H x 35°V, 65 Hz to 18 kHz	€ 12.019,00	L. 23.273.000
ME00000020	<b>MSL-4 RMS, IEC309, L-Track, painted</b>	Arrayable, reflex horn, (1) 12" cone, (1) 4" diaphragm horn driver, 40°H x 35°V, 65 Hz to 18 kHz	€ 12.477,00	L. 24.159.000
ME00000025	<b>MSL-4 TPL, IEC309, L-Track, carpeted</b>	Arrayable, reflex horn, (1) 12" cone, (1) 4" diaphragm horn driver, 40°H x 35°V, 65 Hz to 18 kHz	€ 12.477,00	L. 24.159.000
ME00000030	<b>MSL-4 RMS, IEC309, L-Track, carpeted</b>	Arrayable, reflex horn, (1) 12" cone, (1) 4" diaphragm horn driver, 40°H x 35°V, 65 Hz to 18 kHz	€ 12.936,00	L. 25.048.000

## M E Y E R S O U N D

**Self-Powered Series Loudspeaker Systems**

M903503401	<b>DS-2P TPL, IEC309, ring/stud, painted</b>	Arrayable Mid-Bass Loudspeaker; (2) 15" cone, 40 Hz to 160Hz; 120°H x 120°V,	€ 7.905,00	L. 15.307.000
M903502101	<b>DS-2P RMS, IEC309, ring/stud, painted</b>	Arrayable Mid-Bass Loudspeaker; (2) 15" cone, 40 Hz to 160Hz; 120°H x 120°V,	€ 8.364,00	L. 16.195.000
M903503501	<b>DS-2P TPL, IEC309, ring/stud, carpeted</b>	Arrayable Mid-Bass Loudspeaker; (2) 15" cone, 40 Hz to 160Hz; 120°H x 120°V,	€ 8.426,00	L. 16.316.000
M903502401	<b>DS-2P RMS, IEC309, ring/stud, carpeted</b>	Arrayable Mid-Bass Loudspeaker; (2) 15" cone, 40 Hz to 160Hz; 120°H x 120°V,	€ 8.884,00	L. 17.202.000
M908501202	<b>DS-4P TPL, IEC309, ring/stud, painted</b>	Arrayable Mid-Bass Loudspeaker, (2) 12" cone, 120°H x 120°V, 70 Hz to 200Hz	€ 6.443,00	L. 12.476.000
ME00000001	<b>DS-4P RMS, IEC309, ring/stud, painted</b>	Arrayable Mid-Bass Loudspeaker, (2) 12" cone, 120°H x 120°V, 70 Hz to 200Hz	€ 6.902,00	L. 13.365.000
ME00000002	<b>DS-4P TPL, IEC309, ring/stud, carpeted</b>	Arrayable Mid-Bass Loudspeaker, (2) 12" cone, 120°H x 120°V, 70 Hz to 200Hz	€ 6.902,00	L. 13.365.000
ME00000003	<b>DS-4P RMS, IEC309, ring/stud, carpeted</b>	Arrayable Mid-Bass Loudspeaker, (2) 12" cone, 120°H x 120°V, 70 Hz to 200Hz	€ 7.360,00	L. 14.251.000
ME00000035	<b>DS-4P TPL, IEC309, L-Track, painted</b>	Arrayable Mid-Bass Loudspeaker, (2) 12" cone, 120°H x 120°V, 70 Hz to 200Hz	€ 7.360,00	L. 14.251.000
ME00000040	<b>DS-4P RMS, IEC309, L-Track, painted</b>	Arrayable Mid-Bass Loudspeaker, (2) 12" cone, 120°H x 120°V, 70 Hz to 200Hz	€ 7.819,00	L. 15.140.000
ME00000045	<b>DS-4P TPL, IEC309, L-Track, carpeted</b>	Arrayable Mid-Bass Loudspeaker, (2) 12" cone, 120°H x 120°V, 70 Hz to 200Hz	€ 7.819,00	L. 15.140.000
ME00000050	<b>DS-4P RMS, IEC309, L-Track, carpeted</b>	Arrayable Mid-Bass Loudspeaker, (2) 12" cone, 120°H x 120°V, 70 Hz to 200Hz	€ 8.277,00	L. 16.027.000
M0909400304	<b>DF-4 L-Trak, TPL, IEC309, R&amp;S, painted</b>	Arrayable, Downfill Loudspeaker (1) 15" cone, (1) 4" diaphragm horn driver, 50° Symmetrical on 40° cabinet angle, 60 Hz to 18 kHz	€ 8.983,00	L. 17.394.000
M0909400302	<b>DF-4 L-Trak, RMS, IEC309, R&amp;S, painted</b>	Arrayable, Downfill Loudspeaker (1) 15" cone, (1) 4" diaphragm horn driver, 50° Symmetrical on 40° cabinet angle, 60 Hz to 18 kHz	€ 9.442,00	L. 18.283.000
M0909400308	<b>DF-4 L-Trak, TPL, IEC309, R&amp;S, carpeted</b>	Arrayable, Downfill Loudspeaker (1) 15" cone, (1) 4" diaphragm horn driver, 50° Symmetrical on 40° cabinet angle, 60 Hz to 18 kHz	€ 9.442,00	L. 18.283.000
M0909400306	<b>DF-4 L-Trak, RMS, IEC309, R&amp;S, Carpeted</b>	Arrayable, Downfill Loudspeaker (1) 15" cone, (1) 4" diaphragm horn driver, 50° Symmetrical on 40° cabinet angle, 60 Hz to 18 kHz	€ 9.900,00	L. 19.170.000
M904104201	<b>CQ-1 TPL, IEC309, ring/stud, painted</b>	Arrayable, Low Q, (1) 15" cone, (1) 4" diaphragm horn driver, 80°H x 40°V, 40 Hz to 18 kHz	€ 9.120,00	L. 17.659.000
M904102701	<b>CQ-1 RMS, IEC309, ring/stud, painted</b>	Arrayable, Low Q, (1) 15" cone, (1) 4" diaphragm horn driver, 80°H x 40°V, 40 Hz to 18 kHz	€ 9.578,00	L. 18.546.000
ME00000008	<b>CQ-1 TPL, IEC309, ring/stud, carpeted</b>	Arrayable, Low Q, (1) 15" cone, (1) 4" diaphragm horn driver, 80°H x 40°V, 40 Hz to 18 kHz	€ 9.578,00	L. 18.546.000
ME00000009	<b>CQ-1 RMS, IEC309, ring/stud, carpeted</b>	Arrayable, Low Q, (1) 15" cone, (1) 4" diaphragm horn driver, 80°H x 40°V, 40 Hz to 18 kHz	€ 10.036,00	L. 19.433.000
M904601301	<b>CQ-2 TPL, IEC309, ring/stud, painted</b>	Arrayable, High Q, (1) 15" cone, (1) 4" diaphragm horn driver, 50°H x 40°V, 40 Hz to 18 kHz	€ 9.120,00	L. 17.659.000
M904601401	<b>CQ-2 RMS, IEC309, ring/stud, painted</b>	Arrayable, High Q, (1) 15" cone, (1) 4" diaphragm horn driver, 50°H x 40°V, 40 Hz to 18 kHz	€ 9.578,00	L. 18.546.000
ME00000010	<b>CQ-2 TPL, IEC309, ring/stud, carpeted</b>	Arrayable, High Q, (1) 15" cone, (1) 4" diaphragm horn driver, 50°H x 40°V, 40 Hz to 18 kHz	€ 9.578,00	L. 18.546.000
ME00000011	<b>CQ-2 RMS, IEC309, ring/stud, carpeted</b>	Arrayable, High Q, (1) 15" cone, (1) 4" diaphragm horn driver, 50°H x 40°V, 40 Hz to 18 kHz	€ 10.036,00	L. 19.433.000
M904701401	<b>PSW-2 TPL, IEC309, ring/stud, painted</b>	Arrayable Subwoofer, bass reflex, double tuned (2) 15" cone, 35 Hz to 120Hz	€ 6.220,00	L. 12.044.000
M904701501	<b>PSW-2 RMS, IEC309, ring/stud, painted</b>	Arrayable Subwoofer, bass reflex, double tuned (2) 15" cone, 35 Hz to 120Hz	€ 6.679,00	L. 12.933.000
M904701601	<b>PSW-2 TPL, IEC309, ring/stud, carpeted</b>	Arrayable Subwoofer, bass reflex, double tuned (2) 15" cone, 35 Hz to 120Hz	€ 6.679,00	L. 12.933.000
M904701701	<b>PSW-2 RMS, IEC309, ring/stud, carpeted</b>	Arrayable Subwoofer, bass reflex, double tuned (2) 15" cone, 35 Hz to 120Hz	€ 7.137,00	L. 13.820.000
M904401601	<b>PSM-2 TPL, L6-20, painted</b>	Stage Monitor, (1) 12" cone, (1) 4" diaphragm horn driver, 50°H x 50°V, 50 Hz to 18 kHz	€ 8.847,00	L. 17.131.000
M904400101	<b>PSM-2 RMS, L6-20, painted</b>	Stage Monitor, (1) 12" cone, (1) 4" diaphragm horn driver, 50°H x 50°V, 50 Hz to 18 kHz	€ 9.305,00	L. 18.017.000

## M E Y E R S O U N D

**Self-Powered Series Loudspeaker Systems**

M903602401	<b>650-P TPL, IEC309, painted</b>	<i>Subwoofer, bass reflex, (2) 18" cone, 28 Hz to 100Hz; 360° H x 180° V (1/2 space)</i>	€ 6.691,00	L. 12.956.000
M903601701	<b>650-P RMS, IEC309, painted</b>	<i>Subwoofer, bass reflex, (2) 18" cone, 28 Hz to 100Hz; 360° H x 180° V (1/2 space)</i>	€ 7.150,00	L. 13.845.000
M903602501	<b>650-P TPL, IEC309, carpeted</b>	<i>Subwoofer, bass reflex, (2) 18" cone, 28 Hz to 100Hz; 360° H x 180° V (1/2 space)</i>	€ 7.273,00	L. 14.083.000
M903601901	<b>650-P RMS, IEC309, carpeted</b>	<i>Subwoofer, bass reflex, (2) 18" cone, 28 Hz to 100Hz; 360° H x 180° V (1/2 space)</i>	€ 7.732,00	L. 14.972.000

**Self-Powered Ultra Series Loudspeaker**

M907600102	<b>UPA -1P R/S LOOPING</b>	<i>Arrayable, Low Q, (1) 12" cone, (1)3" diaphragm horn driver, 100°H x 40°V, 60 Hz to 18 kHz. Configured with ring and stud rigging, and looping module</i>	€ 6.381,00	L. 12.356.000
ME00000004	<b>UPA -1P RMS</b>	<i>Arrayable, Low Q, (1) 12" cone, (1)3" diaphragm horn driver, 100°H x 40°V, 60 Hz to 18 kHz. Configured with ring and stud rigging, and looping module</i>	€ 6.840,00	L. 13.245.000
ME00000005	<b>UPA -1P WEATHER PROTECTION</b>	<i>Arrayable, Low Q, (1) 12" cone, (1)3" diaphragm horn driver, 100°H x 40°V, 60 Hz to 18 kHz. Configured with ring and stud rigging, and looping module</i>	€ 7.410,00	L. 14.348.000
ME00000006	<b>UPA -1P SUMMING MODULE</b>	<i>Arrayable, Low Q, (1) 12" cone, (1)3" diaphragm horn driver, 100°H x 40°V, 60 Hz to 18 kHz. Configured with ring and stud rigging, and Summing module</i>	€ 6.381,00	L. 12.356.000
ME00000007	<b>UPA -1P VC/polarity module</b>	<i>Arrayable, Low Q, (1) 12" cone, (1)3" diaphragm horn driver, 100°H x 40°V, 60 Hz to 18 kHz. Configured with ring and stud rigging, and looping module</i>	€ 6.443,00	L. 12.476.000
M907700102	<b>UPA-2P R/S LOOPING</b>	<i>Arrayable, Low Q, (1) 12" cone, (1) 3" diaphragm horn driver, 45°H x 44°V, 60 Hz to 18 kHz. Configured with ring and stud rigging, and looping module</i>	€ 6.381,00	L. 12.356.000
ME10000008	<b>UPA-2P RMS</b>	<i>Arrayable, Low Q, (1) 12" cone, (1) 3" diaphragm horn driver, 45°H x 44°V, 60 Hz to 18 kHz. Configured with ring and stud rigging, and looping module</i>	€ 6.840,00	L. 13.245.000
ME10000009	<b>UPA-2P WEATHER PROTECTION</b>	<i>Arrayable, Low Q, (1) 12" cone, (1) 3" diaphragm horn driver, 45°H x 44°V, 60 Hz to 18 kHz. Configured with ring and stud rigging, and looping module</i>	€ 7.410,00	L. 14.348.000
ME10000010	<b>UPA-2P SUMMING MODULE</b>	<i>Arrayable, Low Q, (1) 12" cone, (1) 3" diaphragm horn driver, 45°H x 44°V, 60 Hz to 18 kHz. Configured with ring and stud rigging, and Summing module</i>	€ 6.381,00	L. 12.356.000
ME10000011	<b>UPA-2P VC/polarity module</b>	<i>Arrayable, Low Q, (1) 12" cone, (1) 3" diaphragm horn driver, 45°H x 44°V, 60 Hz to 18 kHz. Configured with ring and stud rigging, and looping module</i>	€ 6.443,00	L. 12.476.000
M908400107	<b>UPM-1P XLR BLACK,3/8-16 NUT PLATE</b>	<i>Self Powered, (2) 5" cone, (1) 1" Titanium dome &amp; symmetric horn, 100°H x 100°V, 60 Hz to 22 kHz</i>	€ 2.739,00	L. 5.304.000
M908400109	<b>UPM-2P XLR BLACK,3/8-16 NUT PLATE</b>	<i>Self Powered, (2) 5" cone, (1) 1" Titanium dome &amp; symmetric horn, 45°H x 45°V, 60 Hz to 22 kHz.</i>	€ 2.739,00	L. 5.304.000
M908600103	<b>UMS-1P</b>	<i>Subwoofer Dual 10" cone driver 360°H-180°V 25Hz-200Hz. Configured with ring and stud rigging, and looping module</i>	€ 2.999,00	L. 5.807.000
ME00000014	<b>UMS-1P RMS</b>	<i>Subwoofer Dual 10" cone driver 360°H-180°V 25Hz-200Hz. Configured with ring and stud rigging, and looping module</i>	€ 3.457,00	L. 6.694.000
ME00000015	<b>UMS-1P SUMMING MODULE</b>	<i>Subwoofer Dual 10" cone driver 360°H-180°V 25Hz-200Hz. Configured with ring and stud rigging, and Summing module</i>	€ 2.999,00	L. 5.807.000
M908000102	<b>UM1P R/S LOOPING</b>	<i>Stage monitor 45°H-45°V 60Hz-18kHz. Configured with ring and stud rigging, and looping module</i>	€ 6.381,00	L. 12.356.000
M908000402	<b>UM1P OPTIONAL RMS</b>	<i>Stage monitor 45°H-45°V 60Hz-18kHz. Configured with ring and stud rigging, and looping module</i>	€ 6.840,00	L. 13.245.000
ME10000016	<b>UM1P OPTIONAL WEATHER PROTECTION</b>	<i>Stage monitor 45°H-45°V 60Hz-18kHz. Configured with ring and stud rigging, and looping module</i>	€ 6.951,00	L. 13.460.000
ME10000017	<b>UM1P OPTIONAL SUMMING MODULE</b>	<i>Stage monitor 45°H-45°V 60Hz-18kHz. Configured with ring and stud rigging, and Summing module</i>	€ 6.381,00	L. 12.356.000
ME10000018	<b>UM1P OPTIONAL VC/polarity module</b>	<i>Stage monitor 45°H-45°V 60Hz-18kHz. Configured with ring and stud rigging, and looping module</i>	€ 6.443,00	L. 12.476.000
M907900102	<b>UM100P R/S LOOPING</b>	<i>Stage monitor 1x12", 1x4" Thorat with 1x3" Driver; 100°H-40°V; 60Hz-18kHz; R&amp;S and looping module</i>	€ 6.381,00	L. 12.356.000
ME10000019	<b>UM100P OPTIONAL RMS</b>	<i>Stage monitor 1x12", 1x4" Thorat with 1x3" Driver; 100°H-40°V; 60Hz-18kHz; R&amp;S and looping module</i>	€ 6.840,00	L. 13.245.000
ME10000021	<b>UM100P OPTIONAL SUMMING MODULE</b>	<i>Stage monitor 1x12", 1x4" Thorat with 1x3" Driver; 100°H-40°V; 60Hz-18kHz; R&amp;S and looping module</i>	€ 6.381,00	L. 12.356.000
ME10000022	<b>UM100P OPTIONAL VC/polarity module</b>	<i>Stage monitor 1x12", 1x4" Thorat with 1x3" Driver; 100°H-40°V; 60Hz-18kHz; R&amp;S and looping module</i>	€ 6.443,00	L. 12.476.000

**M E Y E R   S O U N D****Self-Powered Ultra Series Loudspeaker**

ME00000100	<b>USM-1P R/S LOOPING</b>	Stage monitor 1x15", 1x4" Thorat with 1x3" Driver; 45°H-45°V; 40Hz-18kHz; R&S and looping module;	€ 6.642,00	L. 12.861.000
ME00000101	<b>USM-1P OPTIONAL RMS</b>	Stage monitor 1x15", 1x4" Thorat with 1x3" Driver; 45°H-45°V; 40Hz-18kHz; R&S and looping module;	€ 7.100,00	L. 13.748.000
ME00000102	<b>USM-1P OPTIONAL WEATHER PROTECTION</b>	Stage monitor 1x15", 1x4" Thorat with 1x3" Driver; 45°H-45°V; 40Hz-18kHz; R&S and looping module;	€ 7.211,00	L. 13.963.000
ME00000103	<b>USM-1P OPTIONAL SUMMING MODULE</b>	Stage monitor 1x15", 1x4" Thorat with 1x3" Driver; 45°H-45°V; 40Hz-18kHz; R&S and Summing module;	€ 6.642,00	L. 12.861.000
ME00000104	<b>USM-1P OPTIONAL VC/polarity module</b>	Stage monitor 1x15", 1x4" Thorat with 1x3" Driver; 45°H-45°V; 40Hz-18kHz; R&S and Summing module;	€ 6.703,00	L. 12.979.000
ME00000105	<b>USM-100P R/S LOOPING</b>	Stage monitor 1x15", 1x4" Thorat with 1x3" Driver; 100°H-40°V; 40Hz-18kHz; R&S and looping module	€ 6.642,00	L. 12.861.000
ME00000106	<b>USM-100P OPTIONAL RMS</b>	Stage monitor 1x15", 1x4" Thorat with 1x3" Driver; 100°H-40°V; 40Hz-18kHz; R&S and looping module	€ 7.100,00	L. 13.748.000
ME00000107	<b>USM-100P OPTIONAL WEATHER PROTECTION</b>	Stage monitor 1x15", 1x4" Thorat with 1x3" Driver; 100°H-40°V; 40Hz-18kHz; R&S and looping module	€ 7.211,00	L. 13.963.000
ME00000108	<b>USM-100P OPTIONAL SUMMING MODULE</b>	Stage monitor 1x15", 1x4" Thorat with 1x3" Driver; 100°H-40°V; 40Hz-18kHz; R&S and Summing module	€ 6.642,00	L. 12.861.000
ME00000109	<b>USM-100P OPTIONAL VC/polarity module</b>	Stage monitor 1x15", 1x4" Thorat with 1x3" Driver; 100°H-40°V; 40Hz-18kHz; R&S and looping module	€ 6.703,00	L. 12.979.000
M907800102	<b>USW-1P R/S LOOPING</b>	Subwoofer Dual 15" cone driver 360°H-180°V 40Hz-100Hz Configured with ring and stud rigging, and looping module	€ 5.080,00	L. 9.837.000
ME10000023	<b>USW-1P OPTIONAL RMS</b>	Subwoofer Dual 15" cone driver 360°H-180°V 40Hz-100Hz Configured with ring and stud rigging, and looping module	€ 5.539,00	L. 10.725.000
ME10000024	<b>USW-1P OPTIONAL WEATHER PROTECTION</b>	Subwoofer Dual 15" cone driver 360°H-180°V 40Hz-100Hz Configured with ring and stud rigging, and looping module	€ 5.650,00	L. 10.940.000
ME10000025	<b>USW-1P OPTIONAL SUMMING MODULE</b>	Subwoofer Dual 15" cone driver 360°H-180°V 40Hz-100Hz Configured with ring and stud rigging, and Summing module	€ 5.080,00	L. 9.837.000
ME10000026	<b>USW-1P OPTIONAL VC/polarity module</b>	Subwoofer Dual 15" cone driver 360°H-180°V 40Hz-100Hz Configured with ring and stud rigging, and looping module	€ 5.142,00	L. 9.957.000

**Self-Powered Series Auxiliary Electronics**

M903702403	<b>LD-1A</b>	Line Driver Array Integration System 8 Ch.	€ 4.114,00	L. 7.966.000
ME00000200	<b>LD-2</b>	Stereo Line Driver Array Integration System.	€ 2.144,00	L. 4.152.000
M911800102	<b>LD-3</b>	Line Driver Array Integration System 8 Ch. with air attenuation compensation	€ 3.594,00	L. 6.959.000
M903305305	<b>RMS Remote Monitoring System</b>	Remote Monitoring System Host Computer Station - (Contact the factory for on-site installation charge.)	€ 4.944,00	L. 9.573.000
M4007602801	<b>RMS Remote Monitoring System</b>	Communication module for Concert Series, M Series, Ultra Series, Studio Series(not HD-1) and Industrial Series (not MM4)	€ 459,00	L. 889.000

**Concert Series Loudspeaker Systems**

M901100601	<b>MSL-2A EP 5, ring/stud, painted</b>	Arrayable, biamplified, (1) 15" cone, (1) 4" diaphragm horn driver, 70°H x 60°V, 40 Hz to 18 kHz	€ 5.650,00	L. 10.940.000
M915102001	<b>USM-1 EP 5, ring/stud, painted</b>	High-power slant monitor, (1) 15" cone, (1) 4" diaphragm driver, 70°H x 60°V, 40 Hz to 18 kHz	€ 5.650,00	L. 10.940.000
M915000103	<b>S-1 220V, CE Compliant</b>	Control Electronics Unit for MSL-2A and USM-1 (active crossover, alignment, driver protection)	€ 3.420,00	L. 6.623.000
M905702501	<b>650-R2 EP 5, painted</b>	Bass reflex, direct-radiating subwoofer, (2) 18" cone, 30 to 100 Hz	€ 4.188,00	L. 8.110.000
M905702601	<b>650-R2 EP 5, carpeted</b>	Bass reflex, direct-radiating subwoofer, (2) 18" cone, 30 to 100 Hz	€ 4.771,00	L. 9.238.000
M905503503	<b>B-2EX 220V, CE Compliant</b>	Control Electronics Unit for 650-R2 & MSW-2(active crossover, alignment, RMS protection limiter)	€ 3.011,00	L. 5.831.000

**M E Y E R   S O U N D****UltraSeries™ Loudspeaker Systems**

M905200103	<b>UPA-1C Ring/stud, painted</b>	Arrayable, biamplified, (1) 12" cone, (1) 3" diaphragm horn driver, 80°H x 60°V, 80 Hz to 18 kHz	€ 4.486,00	L.	8.687.000
M902800901	<b>UPA-2C Ring/stud, painted</b>	Arrayable, biamplified, (1) 12" cone, (1) 3" diaphragm horn driver, 60°H x 60°V, 80 Hz to 18 kHz	€ 4.486,00	L.	8.687.000
M905105903	<b>UM-1C Ring/stud, painted</b>	Compact slant monitor, biamplified, (1) 12" cone, (1) 3" diaphragm horn driver, HF Coverage = 60° Symmetrical, 60 Hz to 20 kHz	€ 4.486,00	L.	8.687.000
M905003003	<b>M-1A 220V, CE Compliant</b>	Control Electronics Unit for UPA-1C, UPA-2C, UM-1C, HF-1 & HF-2 (active crossover, alignment, driver protection)	€ 2.478,00	L.	4.799.000
M906600201	<b>UPM-1 3/8"-16 Nut plates, painted</b>	Compact loudspeaker, passive crossover, (2) 5" cone, (1) piezo horn driver, 60°H x 60°V, 60 Hz to 20 kHz	€ 1.611,00	L.	3.120.000
M906501605	<b>P-1A 220V, CE Compliant</b>	Control Electronics Unit for UPM-1 (alignment, driver protection)	€ 1.797,00	L.	3.480.000
M903000401	<b>UPM-2 3/8"-16 nut plates, painted</b>	Compact loudspeaker, passive crossover, (2) 5" cone, (1) 1" horn driver, 60°H x 60°V, 60 Hz to 20 kHz	€ 1.611,00	L.	3.120.000
M906501606	<b>P-2 220V, CE Compliant</b>	Control Electronics Unit for UPM-2 (alignment, driver protection)	€ 1.797,00	L.	3.480.000
M905602501	<b>USW-1 Ring/stud, painted</b>	Bass reflex, direct-radiating subwoofer, (2) 15" cone, 40 to 100 Hz	€ 3.371,00	L.	6.528.000
M905503503	<b>B-2EX 220V, CE Compliant</b>	Control Electronics Unit for USW-1 (active crossover, alignment, driver protection)	€ 3.011,00	L.	5.831.000

**Auxiliary Electronics**

M910101803	<b>CP-10 220V, CE Compliant</b>	Complementary-phase, 5-band stereo parametric equalizer with independent LF and HF shelving	€ 4.535,00	L.	8.781.000
M910105703	<b>CP-10S 220V, CE Compliant</b>	Screwdriver-adjustable complimentary-phase, 5-band stereo parametric equalizer with independent LF and HF shelving	€ 4.015,00	L.	7.775.000
M904500103	<b>VX-1 220V, CE Compliant</b>	Stereo program equalizer, 2 channel signal processing with Virtual Crossover TM	€ 2.491,00	L.	4.824.000

**Self-powered Loudspeaker Studio Series System**

M955003033	<b>HD-1</b>	Self-powered nearfield monitor, (1) 8" cone, (1) 1" dome tweeter, 32Hz to 22kHz Finish: BLACK SATIN	€ 4.449,00	L.	8.615.000
M955003034	<b>HD-1</b>	Self-powered nearfield monitor, (1) 8" cone, (1) 1" dome tweeter, 32Hz to 22kHz Finish: NATURAL OAK	€ 4.449,00	L.	8.615.000

**INDUSTRIAL Series**

M0909100101	<b>MM-4 Loudspeaker, Indoor plenum rated</b>	Ultra-Compact Wide Range Loudspeaker	€ 434,00	L.	841.000
M0909100102	<b>MM-4 Loudspeaker, Weather Protected</b>	Ultra-Compact Wide Range Loudspeaker			
M0909300704	<b>MM-4 II Controller 240 V 60 Hz</b>	Control Electronics Unit for MM-4	€ 2.231,00	L.	4.320.000

**ACCESSORI**

M4504906601	<b>SB-1 Yoke Assembly</b>	SB-1 Yoke Assembly for SB-1 Caster Board Assy	€ 2.825,00	L.	5.470.000
M4504906701	<b>SB-1 Caster Board Assy</b>	Set Caster Rails for SB-1 (SB-1 Yoke Assembly needed)	€ 682,00	L.	1.321.000
M4502202901	<b>Type 6 Caster Board</b>	MSL-6 PSW-6 e MLS-5 Caster Board	€ 744,00	L.	1.441.000
M4503103601	<b>Type 4 Caster Board</b>	For MSL-4, PSW-4, PSW-2, DSP-2, DSP-4, MSL2-A	€ 471,00	L.	912.000
M4010503401	<b>Collapsible Rain Hood kit</b>	Fits all Selfpowered Concert Series Products	€ 137,00	L.	266.000
M4003303302	<b>Concert Series Fixed Rain Hood</b>	Fits all Selfpowered Concert Series Products (except PSM-2)	€ 87,00	L.	169.000
M4007605301	<b>Ultra Series Fixed Rain Hood</b>	Fits all Selfpowered Ultra Series Products (except UPM-1/2P and UMS-1P)	€ 75,00	L.	146.000
M4008405402	<b>UPM Fixed Horizontal Rain Hood</b>	For Horizontally Mounted UPM-1/2P	€ 137,00	L.	266.000
M4008405302	<b>UPM Fixed Vertical Rain Hood</b>	For Vertically Mounted UPM-1/2P	€ 62,00	L.	121.000

## M E Y E R S O U N D

**"QUICKFLY" RIGGING and MOUNTING Accessories**

ME00000500	<b>MRF-6</b>	<i>RIGGING FRAME per MSL-6; MSL-5 e PSW-6MRF-6 incorpora L-Track montati orizzontalmente sul frame per sospendere casse equipaggiate con L-Track o dotate del frame Retrofit mod. RFK-1. Si raccomandano 2 frame per ogni cassa</i>	€ 1.958,00	L.	3.792.000
ME00000510	<b>MRF-6</b>	<i>CONNECTING BAR Kit MRF-6: consiste in 2 Bar posteriori e 2 anteriori per unire 2 frame Mod MRF-6. Possibilità di variare anteriormente l'apertura verticale da 0° a 10°</i>	€ 372,00	L.	721.000
ME00000515	<b>MTG-4</b>	<i>MTG-4 serve per mettere in Array MSL-4 e DS-4P dotate di L-Track e altri modelli che usano il frame Retrofit mod. RKF-1. Angolature possibili da 15° a 30°</i>	€ 1.884,00	L.	3.648.000
ME00000520	<b>MTGSB-4</b>	<i>Top Grid Spread Bar MTGSB-4 serve per sostenere 2 MTG-4 da un solo punto motore.</i>	€ 323,00	L.	626.000
ME00000525	<b>RCL-1</b>	<i>Rear Connection Link Attacco posteriore tra Casse equipaggiate di L-Track mantenendole allineate.</i>	€ 87,00	L.	169.000
M4003112109	<b>MCC-007</b>	<i>Multiple link Connecting Chain (7 links) - to connect the front of the cabinets in a vertical splay from 0 to 15.5 degrees</i>	€ 87,00	L.	169.000
M4003112105	<b>MCC-009</b>	<i>Multiple link Connecting Chain (9 links) - to connect the front of the cabinets in a vertical splay from 0 to 19 degrees</i>	€ 87,00	L.	169.000
M4003112110	<b>MCC-015</b>	<i>Multiple link Connecting Chain (15 links) - to connect the front of the cabinets in a vertical splay from 3 to 29 degrees</i>	€ 87,00	L.	169.000
M4003112111	<b>SMCC-007</b>	<i>Same as MCC-007 but with swivel connector. Used to connect a L-Track equipped cabinet underneath a MRF-6 frame</i>	€ 87,00	L.	169.000
M4003112106	<b>SMCC-009</b>	<i>Same as MCC-009 but with swivel connector. Used to connect a L-Track equipped cabinet underneath a MRF-6 frame</i>	€ 87,00	L.	169.000
M4003112107	<b>SCL-1</b>	<i>Single Link Connection Chain. Attacco posteriore tra Casse equipaggiate di L-Track mantenendole allineate.</i>	€ 87,00	L.	169.000
M4003112101	<b>RFK-1</b>	<i>Retrofit Kit Retrofit che contiene 2 frames in Alluminio/L-Track per integrare in un sistema di rigging modelli non equipaggiati con L-TRACK</i>	€ 1.698,00	L.	3.288.000
M4504906601	<b>SB-1 Yoke Assembly</b>	<i>SB-1 Yoke Assembly for SB-1 Caster Board Assy</i>	€ 2.825,00	L.	5.470.000
ME00000545	<b>UPM Mounting Yoke</b>	<i>Sistema per sospendere UPM-1P</i>	€ 211,00	L.	409.000
ME00000550	<b>UPA Mounting Yoke</b>	<i>Sistema per sospendere UPA/P</i>	€ 298,00	L.	578.000
ME00000555	<b>CQ Mounting Yoke</b>	<i>Sistema per sospendere CQ-1/2</i>	€ 422,00	L.	818.000
ME00000560	<b>UPA-2 30° Rigging Frame</b>	<i>Per mettere in Array le casse UPA-2C/P con un angolo di 30°</i>	€ 186,00	L.	361.000
ME00000565	<b>UPA-2 Rigging Frame Pick-up Metal</b>	<i>Piastra in acciaio da porre tra 2 Rigging Frame delle UPA-2.</i>	€ 75,00	L.	146.000
ME00000570	<b>CQ-2 30° Rigging Frame</b>	<i>Per mettere in Array le casse CQ-2 con un angolo di 30°</i>	€ 261,00	L.	506.000
ME00000575	<b>CQ-2 40° Rigging Frame</b>	<i>Per mettere in Array le casse CQ-2 con un angolo di 40°</i>	€ 261,00	L.	506.000
ME00000580	<b>CQ-2 Rigging Frame Pick-up Metal</b>	<i>For use with 2 CQ-2 rigging frames. Provides multiple pick-up points</i>	€ 100,00	L.	194.000
M4006604001	<b>UPM Universal U BRACKET</b>	<i>U-shaped mounting bracket for UPM's and UPM-P's</i>	€ 137,00	L.	266.000
M4006604002	<b>UPA Stand Mount</b>	<i>Adapter Board accepts Atlas or Ultimate support BMB-200K "top hat"</i>	€ 149,00	L.	289.000
M4007605601	<b>UPM Pole Mounting Flange</b>	<i>Adapts 1 3/8" (35mm) diameter pole to M-10 or 3/8" nut</i>	€ 38,00	L.	74.000
M4008601301	<b>UMS-1P to UPM Pole Mounting Option Kit</b>	<i>43" (1090mm) long 1 3/8" (35mm) diameter pole plus pole mounting flange</i>	€ 199,00	L.	386.000
M4009101602	<b>MM-4 Universal U Bracket</b>	<i>U-shaped mounting bracket for MM-4</i>	€ 93,00	L.	181.000
M4009101601	<b>MM-4 Ceiling Mount Adaptor</b>	<i>Includes all brackets and fittings to mount an MM-4 on a ceiling can baffle</i>			

**M E Y E R   S O U N D****VEAM Breakouts, Cables, Connectors and Interface Units****Power Cable Breakouts for Loudspeakers**

ME00000600	<b>VEAM Receptacle Connector to Edison, F-XLR and RMS</b>	<i>Inline female cable breakout - 2 Meter (Source End Breakout)</i>	€ 434,00	L.	841.000
ME00000605	<b>VEAM Receptacle to Euro, F-XLR and RMS</b>	<i>Inline female cable breakout - 2 Meter (Source End Breakout)</i>	€ 434,00	L.	841.000
ME00000610	<b>VEAM Receptacle to IEC309, F-XLR and RMS</b>	<i>Inline female cable breakout - 2 Meter (Source End Breakout)</i>	€ 434,00	L.	841.000

**Pre Assembled Cables**

ME00000615	<b>2 Meter VEAM Cable</b>	<i>Male Inline to Female Inline cable</i>	€ 546,00	L.	1.058.000
ME00000620	<b>5 Meter VEAM Cable</b>	<i>Male Inline to Female Inline cable</i>	€ 583,00	L.	1.129.000
ME00000625	<b>10 Meter VEAM Cable</b>	<i>Male Inline to Female Inline cable</i>	€ 632,00	L.	1.224.000
ME00000630	<b>20 Meter VEAM Cable</b>	<i>Male Inline to Female Inline cable</i>	€ 756,00	L.	1.464.000
ME00000631	<b>30 Meter VEAM Cable</b>	<i>Male Inline to Female Inline cable</i>	€ 868,00	L.	1.681.000
ME00000635	<b>VIM-4 (Veam Interface Module) - IEC 32 amp Inlet - 2 U</b>	<i>4 channel breakout box for AC, Audio and RMS</i>	€ 3.123,00	L.	6.047.000
M0909200101	<b>VIM-4 (Veam Interface Module) - IEC 32 amp Inlet - 2U for M3D system</b>	<i>3 channel breakout box for AC, Audio and RMS</i>	€ 3.123,00	L.	6.047.000
ME00000640	<b>VEAM Plug to L6-20, MXLR and RMS</b>	<i>Inline male cable breakout - .5 Meter (Non-VEAM Speaker End)</i>	€ 403,00	L.	781.000
ME00000645	<b>VEAM Plug to IEC309, MXLR and RMS</b>	<i>Inline male cable breakout - .5 Meter (Non-VEAM Speaker End)</i>	€ 403,00	L.	781.000
ME00000646	<b>VEAM Plug to Powercon, MXLR and RMS</b>	<i>Inline male cable breakout - .5 Meter (Non-VEAM Speaker End)</i>	€ 403,00	L.	781.000

**Connector Kits**

M2703309401	<b>VEAM Input Panel Connector - Male</b>	<i>Connector only - Veam Assembly Tool Kit required to configure</i>	€ 137,00	L.	266.000
M2703309701	<b>VEAM Input Panel Connector-Female</b>	<i>Connector only - Veam Assembly Tool Kit required to</i>	€ 211,00	L.	409.000
M2703309601	<b>VEAM Inline Connector - Male</b>	<i>Connector only - Veam Assembly Tool Kit required to</i>	€ 199,00	L.	386.000
M2703309501	<b>VEAM Inline Connector - Female</b>	<i>Connector only - Veam Assembly Tool Kit required to</i>	€ 174,00	L.	337.000
M1903310701	<b>VEAM Assembly TOOL KIT</b>	<i>Includes crimping tool, socket/pin insertion/removal tool and guide pins</i>	€ 2.602,00	L.	5.039.000
M2703311201	<b>Multi Cable UL AWN style 2464</b>	<i>(3) 14awg AC Conductor, (2) 24awg Audio Pairs,.575" O.D. nom. 500 feet</i>	€ 2.169,00	L.	4.200.000
M2703311101	<b>Breakout Cable UL AWN style 2464</b>	<i>(3) 14awg PVC insulated AC Conductors, (2) 24awg Audio Pairs,.760" O.D. nom. 500 feet</i>	€ 3.160,00	L.	6.119.000

*NB: 8 Settimane per la consegna*